

ANZCA Handbook for Training and Accreditation

Appendix 5 – IAACQ Sample Questions

Code	Learning Outcome (IAACQ)	Possible Questions
IT_GS 1.1	Outline the basic pharmacology of sedative/hypnotic agents (propofol, thiopentone, midazolam, ketamine), inhalational agents, opioids, muscle relaxants, reversal drugs and anti-emetic agents relevant to their clinical practice.	What type of drug is suxamethonium?
		What is most common indication for use of suxamethonium?
		Outline the potential side effects of suxamethonium?
IT_GS 1.9	Outline the physiological changes that occur with and the implications for anaesthetic management of the following patient positions: <ul style="list-style-type: none"> • Supine • Trendelenberg and reverse trendelenberg • Lateral • Lithotomy • Prone <p>(also refer to Safety and quality in anaesthetic practice)</p>	What changes will you potentially see on you monitors when you put a patient in the Trendelenberg position and what are the physiological changes that explain these?
		How will you modify your anaesthetic plan for a patient who is to be in the prone position?
IT_AM 1.2	Discuss the important features of history and examination that may identify a potentially difficult airway	How do you examine a patient in order to identify anatomical features that may make intubation difficult?
IT_AM 1.16	Describe the clinical features and outline a management plan for a patient with aspiration of gastric contents	What do you think the possible causes are of a patient coughing after you have induced them but not yet secured the airway? What other things will you look for to confirm this?
		How do you manage a patient who you think has aspirated on induction before you have secured the airway?
IT_RA 1.8	Describe the absolute and relative contraindications of a central neuraxial block	What are the absolute contraindications to central neuraxial block?
IT_RA 1.11	Outline the complications of a central neuraxial block	What risks of spinal anaesthesia do you discuss with your patients?

Code	Learning Outcome (IAACQ)	Possible Questions
IT_PO 1.1	Outline the ASA physical status classification system and the implications for anaesthesia	What is "ASA" and how do you decide on a class for your patient?
		Why do we use ASA classification ?
IT_PO 1.5	<p>Outline the implications of the following for anaesthetic management and perioperative risk:</p> <ul style="list-style-type: none"> • Respiratory infection • Chronic obstructive airways disease • Obstructive sleep apnoea • Pulmonary embolus • Congestive cardiac failure • Arrhythmias and conduction abnormalities • Pacemakers • Thromboembolic disease • Electrolyte abnormalities • Acid base abnormalities • Chronic renal impairment • Steroid dependence • Transient ischaemic attacks and stroke • Pseudocholinesterase deficiency • Haematemesis • Anaemia • Thrombocytopenia • Coagulopathy • Anticoagulant use • Immunocompromised patient • Rheumatoid arthritis • Tobacco use 	What anaesthetic problems are you likely to encountering in providing a GA for a patient with a history of obstructive sleep apnoea?
IT_PM 1.3	Outline the basic concepts of multimodal analgesia and pre-emptive analgesia	What does multimodal analgesia mean?
		What are the advantages of pre-emptive analgesia?
IT_PM 1.7	Outline a protocol for the management of pain in recovery	Describe the analgesia you would normal prescribe for use in the Recovery ward/PACU for a patient who has undergone an acute laparoscopic appendicectomy

Code	Learning Outcome (IAACQ)	Possible Questions
IT_RT 1.1	<p>Outline a systematic approach to identifying the cause and describe the initial management of the following, when occurring in association with anaesthesia or sedation:</p> <ul style="list-style-type: none"> • Dyspnoea • Hypoxia • Hypocapnoea/ hypocarbia • Hypercapnoea/ hypercarbia • Tachycardia • Bradycardia • Hypotension • Hypertension • High airway pressures • Oliguria/anuria • Failure to wake from anaesthesia (also refer to General anaesthesia and sedation) 	<p>An elderly patient who has undergone a hemiarthroplasty for a fractured neck of femur fracture under a general anaesthetic with an endotracheal tube fails to wake up at the end of the operation. What are the possible causes for this patient's failure to wake?</p>
IT_SQ 1.7	<p>Outline steps to minimise the risk of eye injury during perioperative care</p>	<p>How might a patient sustain a corneal injury whilst under general anaesthetic? How could you reduce the chances of this happening?</p>

© Copyright 2012 – Australian and New Zealand College of Anaesthetists. All rights reserved.

This work is copyright. Apart from any use as permitted under the Copyright Act 1968, no part may be reproduced by any process without prior written permission from ANZCA. Requests and inquiries concerning reproduction and rights should be addressed to the Chief Executive Officer, Australian and New Zealand College of Anaesthetists, 630 St Kilda Road, Melbourne, Victoria 3004, Australia. Website: www.anzca.edu.au Email: ceoanzca@anzca.edu.au